



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION III  
1650 Arch Street  
Philadelphia, Pennsylvania 19103-2029

September 24, 2013

Mr. Sean Fullmer  
Compliance Management International  
1350 Welsh Road  
Suite 200  
North Wales, PA 19454

Re: Freedom of Information Act Request:  
EPA-R3-2013-008653

Dear Mr. Fullmer:

This is in response to your Freedom of Information Act request listed above, regarding  
1001 Moosic Road Property.

/X / The Office Of Hazardous Site Clean-up Division is enclosing records in response to your request.  
/X / The Resource Conservation and Recovery Program, the Toxics Programs Branch, and the  
Pesticides/Asbestos Programs Branch is enclosing records in response to your request.  
/ / The Water Protection Division found no records in response to your request.

PLEASE NOTE: If any Program(s) listed above has been checked, a response from that Program(s) is enclosed along with a billing invoice for the information provided if appropriate.

You may appeal this response to the National Freedom of Information Officer, U.S. EPA Records, FOIA and Privacy Branch, 1200 Pennsylvania Avenue, NW (2822T), Washington, DC 20460, Fax: (202) 566-2147, E-mail: [hq.foia@epa.gov](mailto:hq.foia@epa.gov). Only items mailed through the United States Postal Service may be delivered to 1200 Pennsylvania Avenue, NW. If you are submitting your appeal via hand delivery, courier service or overnight delivery, you must address your correspondence to 1301 Constitution Avenue, N.W., Room 6416J, Washington, DC 20004. Your appeal must be made in writing and it must be submitted no later than 30 calendar days from the date of this letter. The Agency will not consider appeals received after the 30 calendar day limit. The appeal letter should include the EPA-R3 number listed above. For quickest possible handling, the appeal letter and its envelope should be marked "Freedom of Information Act Appeal."

If you have any questions, please contact me at 215-814-5553.

Sincerely,

Richard Van Holt  
Freedom of Information Officer





Inspection Date 03/07/2007Time Start 1000Time Finish 1500

## HAZARDOUS WASTE INSPECTION REPORT CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR

Company name PANEL PRINTS, INC.  
 EPA I.D. Number PA0069602910 Employer I.D. Number (E.I.N.) —  
 Address 1001 MOOSIC ROAD  
 County LACKAWANNA Municipality MOOSIC BORO. ZIP 18518  
 Name of Inspector MICHAEL LUCSKY  
 Name & Title of Responsible Official RICH YACOVONI - PLANT ENGINEER  
 Person Interviewed SAME Telephone (570) 457-8334  
 Mailing Address (if different from above) SAME  
 Amount of Hazardous Waste Generated per Month: 2100 kg \_\_\_\_\_ lbs  
 Waste Determination Completed? ☒ Yes ☐ No Waste On-Site Greater Than 1,000 kg. ☐ Yes ☒ No.  
 Universal Waste: Large Quantity Handler? ☐ Small Quantity Handler? ☒  
 Universal Waste Types Fluorescent lamps - e-waste - batteries

### 1. Waste Handling Method:

- ☐ On-Site in a treatment, storage or disposal facility permitted under Chapter 270a and incorporated sections of 40 CFR Part 270.
- ☒ Off-Site in a treatment, storage or disposal facility permitted under Chapter 270a and incorporated sections of 40 CFR Part 270 or having interim status under Chapter 265a and incorporated sections of 40 CFR Part 265.
- ☐ On-Site treatment & off-site treatment, storage or disposal in compliance with 40 CFR Section 261.5 and 25 PA Code Section 261a.5.
- ☐ Off-Site in a permitted municipal or industrial facility in another state.
- ☐ Off-Site to a facility which beneficially uses or reuses, or legitimately recycles or reclaims its waste.
- ☐ Off-Site to a facility that treats waste prior to beneficial use or reuse, or legitimately recycles or reclaims its waste.

### 2. Hazardous Waste Transportation: Self transportation ☐ yes ☒ no

If no: Transporter Name Waste Recovery Solutions, INC  
 License Number PA000043026

### 3. Types of hazardous waste generated and destination facility (location & type).

Waste Code	Waste Description	Destination Facility
<u>P001</u>	<u>waste oil / solvent mix</u>	<u>GIANT Resource Recovery</u> <u>Sumter, S.C. 29151</u>

☒ White - Operator☐ Yellow - Regional Copy

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 03/07/2007 Identification Number PA0069602910Company/Facility/Site Name PANEL PRINTS, INC.I conducted A Facility Inspection with Rich Yanovski, PPE AND Robert LACZI (PADEP) Items Discussed and observed Are AS FOLLOWS:

- The Facility is A Conditionally exempt small quantity generator of HAZARDOUS waste AND MADE notification in approx. 2002.
- Currently, NO HAZARDOUS waste drums ARE being stored. The LAST shipment WAS approx. SIX (6) MONTHS AGO.

Comments: ① All containment skids should be kept free of waste material to prevent spills or releases.② Containers should be kept closed except when filling or removing material. ③ Please contact The Dept. if ANY changes in The facilities waste generation occurs.

MSL 3/7/2007

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the persons interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person Interviewed

[Signature]  
(Signature)

Date

3/7/07

Inspector

[Signature]  
(Signature)

Date

03/07/2007

**SITE/RESPONSE ACTION LISTING (CERCLIS) (LIST-08), VERSION 10.00**

**THIS IS THE \*\* PRODUCTION VERSION \*\* OF THE REPORT**

**USER SELECTION OPTIONS**

REGION: 03  
REPORT TYPE: CERCLIS  
PROGRAM AREA: Integrated  
SELECT CRITERIA: Zip Code = 18518  
SORT BY: Region, EPA ID  
OUTPUT DESTINATION: SCREEN



SITE ID	EPA ID NO.	SITE NAME STREET CITY COUNTY (FIPS) CODE AND NAME	STATE	ZIP	OP	ACTION	CONG DIST.	UNIT	CODE, NAME	ACTION	SEQ	QUALIFIER	ACTUAL START DATE	ACTUAL COMPLETE DATE	ACTION LEAD
0301220	PAD980508667	LACKAWANNA REFUSE SOUTH KEYSER AVENUE OLD FORGE 42069 LACKAWANNA	PA	18518		NON-NPL STATUS: N/A ASSOCIATED SITE: N/A 11 ASSOCIATED EPA ID:									
				00	DS	DISCVRY				001			03/28/1990	11/01/1979	EPA Fund
				00	RS	RV ASSESS				001			01/22/1991	03/28/1990	EPA Fund
				00	RS	RV ASSESS				002			10/18/1983	01/22/1991	EPA Fund
				00	RV	RMVL				001		Stabilized	02/10/1984	12/09/1983	EPA Fund
				00	BB	PRP RV				001		Stabilized	09/01/1980	02/10/1984	PRP Rsp Fed
				00	PA	PA				001		Low priority	09/01/1980	11/01/1979	EPA Fund
				00	SI	SI				001		Higher priority	12/01/1982	09/01/1980	EPA Fund
				00	HR	HAZRANK				001			12/30/1982	12/01/1982	EPA Fund
				00	NP	PROPOSED				001			09/08/1983	12/30/1982	EPA Fund
				00	NF	NPL FINL				001			08/19/1999	09/08/1983	EPA Fund
				00	TU	NOID				001			06/06/2001	08/19/1999	EPA Fund
				00	AS	AIR SRVY				001			03/21/1988	09/28/1999	EPA Fund
				00	CR	CI				001			09/30/1987	09/28/1999	EPA Fund
				00	TA	TECH A				001			10/08/2009	05/25/2010	EPA Fund
				00	TA	TECH A				003			09/20/1990	05/25/2010	EPA Fund
				00	AR	ADMM REC				002		Remedial AR	08/19/1999	09/28/1999	EPA Fund
				00	ND	DELETION				001			09/06/1983	03/22/1985	EPA Fund
				01	CO	R/FS				001			12/22/1983	03/22/1985	EPA Fund
				01	TA	TECH A				002			01/15/1987	03/22/1985	EPA Fund
				01	AR	ADMM REC				001		Remedial AR	09/29/1988	06/13/1994	Fed Enforce
				01	TG	TA GRANT				001			09/29/1988	06/13/1994	EPA Fund
				01	RO	ROD				001		Final Remedy Selected	03/22/1985	03/22/1985	EPA Fund
				01	DA	DA				001			12/24/1984	03/31/1987	EPA Fund
				01	RD	RD				001			04/23/1985	03/31/1987	EPA Fund
				01	RA	RA				001			06/02/1987	03/31/1987	EPA Fund
				01	OM	OM				001			05/07/1991	03/28/1994	State Only
				01	CQ	CLSOUT R				001			03/13/1995	03/28/1994	EPA Fund
				01	FE	5 YEAR				001			02/09/1999	09/28/1995	EPA Fund
				01	FE	5 YEAR				002			10/08/2003	03/05/1999	EPA Fund
				01	FE	5 YEAR				003			09/18/2008	06/10/2004	EPA Fund
				01	FE	5 YEAR				004			06/10/2009	06/10/2009	EPA Fund







COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

Inspection Date 12/7/99  
Time Start 1:00  
Time Finish 4:00

## HAZARDOUS WASTE INSPECTION REPORT

☐ GENERATOR☒ S Q GENERATOR

Company name PANEL PRINTS, INC I.D. Number PAD069602910  
Site Address 1001 MOOSIC ROAD  
County LACKAWANNA Municipality MOOSIC BOROUGH Zip 18518  
Name of Inspector CHUCK ROGERS  
Name & Title of Responsible Official BOB JONES VP of Manufacturing  
Person Interviewed MICHAEL WEINSTOCK & RICK TITUS Telephone (570) 457-8334  
Mailing Address (if different from above) ABOVE  
Amount of Hazardous Waste Generated per Month: ~100 Pounds \_\_\_\_\_ Kgs

## 1. Site Characterization:

STORAGE: ☒ Container ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad Other \_\_\_\_\_  
PBR: ☐ Neutralization/WWTP ☐ Reclaim Other \_\_\_\_\_  
GENERATOR TREATMENT ☐ Containers ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad

2. Universal Waste: ☐ Large Quantity Handler ☐ Small Quantity Handler

Universal Waste Types \_\_\_\_\_

## 3. Hazardous Waste Transporters:

Transporter Name SAFETY-KLEEN License Number PA-AH-0172  
Transporter Name GEN CHEM, INC License Number PA-AH-0259  
Transporter Name \_\_\_\_\_ License Number \_\_\_\_\_

## 4. Types of hazardous waste generated and destination facility (location &amp; type).

Waste Code	Waste Description	Destination Facility
D001	WASTE OIL/SOLVENT MIX	NORTH EAST CHEMICAL-CLEVELAND OH

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name PANEL PRINTS ID Number PD069602910 Date 12/7/99

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.
1				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
1				Identification Number	262a.10	262.12	H002
1				Authorized transporters only	262a.10	262.12(c)	H003
1				Subsequent notification requirements met	262a.12(b)		H004
1				Proper manifest used	262a.10	262.21	H005
1				Manifests filled out correctly and completely	262a.20		H006
1				Manifests signed and routed properly	262a.23(a)	262.23	H007
	2			Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
1				SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
1				SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
1				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
	2			Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
1				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
1				Specified records retained for three years	262a.10	262.40(c)	H014
	2			Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
1				Exception reporting procedures followed	262a.42	262.42	H016
1				Spill reporting procedures followed	262a.10	262.34(d)	H017
	2			PPC plan developed and implemented	262a.10	262.34(a)	H018
	2			Special requirements followed for international shipments	262a.10	262.50 262.60	H019
	2			Source reduction strategy prepared and available (LQG only)	262a.100		H020
1				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

**HAZARDOUS WASTE INSPECTION REPORT  
GENERATORS -- SMALL QUANTITY GENERATORS  
FACILITY SPECIFICS**

Site Name PANEL PRINTS ID Number PAD069602910 Date 12/7/99

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				<b>CONTAINERS (Subchapter I)</b>			
				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
				Containers of hazardous waste in good condition	265a.1	265.171	H026
				Containers and stored waste compatible	265a.1	265.172	H027
				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
				Containers managed to prevent leaks	265a.1	265.173(b)	H029
				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
				Container storage areas inspected at least weekly	265a.1	265.174	H031
				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
				Proper containment and collection systems in place	265a.179		H033
	2			Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
				Containers labeled accurately identify contents	SWMA 6018.403(b) (2)		H037

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name PANEL PRINTS ID Number PADO69602910 Date 12/7/99

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
				<b>LQG TANKS (Subchapter J)</b>			
	<input checked="" type="checkbox"/>			Tanks labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H040
	<input checked="" type="checkbox"/>			Written certification by registered professional engineer for proper tank (system) design and installation on file	262a.10	265.192(a)	H041
	<input checked="" type="checkbox"/>			Secondary containment provided for tanks (systems) as required	265a.193	265.193	H042
	<input checked="" type="checkbox"/>			Tanks (systems) managed to prevent rupture, leak, corrode or fail	265a.1	265.194	H043
	<input checked="" type="checkbox"/>			Tanks labeled to accurately identify contents	265a.194		H044
	<input checked="" type="checkbox"/>			Required inspections completed and documented in operating log	265a.195	265.195	H045
	<input checked="" type="checkbox"/>			Release reported to Department within 24 hours, unless exempted	265a.1	265.196	H046
	<input checked="" type="checkbox"/>			Special requirements for ignitable and reactive wastes followed	265a.1	265.198	H047
	<input checked="" type="checkbox"/>			Special small quantity generator requirements	265a.1	265.201	H048
				<b>SQG TANKS</b>			
	<input checked="" type="checkbox"/>			Waste contents compatible with tank	265a.1	265.201(b)(2)	H051
	<input checked="" type="checkbox"/>			Uncovered tanks operated with 2 feet of freeboard or equivalent containment capacity	265a.1	265.201(b)(3)	H052
	<input checked="" type="checkbox"/>			If continuously fed, tank has method to stop inflow	265a.1	265.201(b)(4)	H053
	<input checked="" type="checkbox"/>			Daily tank inspection requirements complied with	265a.1	265.201(c)(1-3)	H054
	<input checked="" type="checkbox"/>			Weekly tank inspection requirements complied with	265a.1	265.201(c)(4,5)	H055
	<input checked="" type="checkbox"/>			All waste removed at closure	265a.1	265.201(d)	H056
	<input checked="" type="checkbox"/>			Special requirements for ignitable or reactive waste complied with	265a.1	265.201(e)(1)	H057
	<input checked="" type="checkbox"/>			Covered tank buffer zone requirements complied with	265a.1	265.201(e)(2)	H058
	<input checked="" type="checkbox"/>			Incompatible waste requirements met	265a.1	265.201(f)	H059

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

**HAZARDOUS WASTE INSPECTION REPORT**  
**GENERATORS -- SMALL QUANTITY GENERATORS**  
**FACILITY SPECIFICS**

Site Name PANEL PRINTS ID Number PAD069602910 Date 12/7/99

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
				<b>Containment Buildings (Subchapter T)</b>			
	2			Building completely enclosed to prevent exposure to the elements	265a.1	265.1101(a)(1)	H061
	2			Meets special requirements if liquids present	265a.1	265.1101(b)	H062
	2			Primary barrier free of significant gaps, cracks and deterioration	265a.1	265.1101(c)(1)(i)	H063
	2			Level of hazardous waste within unit is below containment walls	265a.1	265.1101(c)(1)(ii)	H064
	2			Tracking of waste out of unit by equipment or personnel prevented	265a.1	265.1101(c)(1)(iii)	H065
	2			No visible dust emissions at doors, windows, vents, etc.	265a.1	265.1101(c)(1)(iv)	H066
	2			Professional engineer's certification placed in operating record	265a.1	265.1101(c)(2)	H067
	2			Required inspections performed and logged in operating record	265a.1	265.1101(c)(4)	H068
				<b>Drip Pads (Subchapter S)</b>			
	2			Engineer's certification of existing drip pads on file	265a.1	265.441(a)	H069
	2			Drip pad meets 265.443 design & operating standards	265a.1	265.443	H070
	2			(a) nonearthen, sloped construction with berm to channel associated drippage to collection system	265a.1	265.443(a)	H071
	2			(b) Has synthetic liner below the pad with properly constructed leak detection system	265a.1	265.443(b)	H072
	2			Drip pads & collection system maintained to prevent deterioration	265a.1	265.443(c)	H073
	2			Drip pads & collection systems designed to prevent run-off	265a.1	265.443(d)	H074
	2			Run-on/run-off control system maintained unless pad protected by a structure	265a.1	265.443(e)	H075
	2			Release reporting requirements met	265a.1	265.443(m)	H076
	2			Drip pads inspected weekly and after storms when in operation	265a.1	265.444(b)	H077

Hazardous Waste Inspection Report  
Land Disposal Restriction Supplemental Checklist

1-No Violation Observed					2-Not Applicable	3-Not Determined	4-Non-Compliance
Status				REQUIREMENT			Citation
1	2	3	4				40 CFR Part 268
				<b>Generators</b>			
				Notification sent with shipments of wastes that do not meet treatment standards.			7(a)(1)
				Notification and certification sent with shipments of wastes meeting treatment standards.			7(a)(2)
				Dilution not used as a substitute for treatment.			3
				Records maintained of notifications, certifications, waste analysis, and documentation supporting use of knowledge for waste classification.			7(a)(5), (a)(6)
				<b>Storage Facilities</b>			
	2			Facility verifies generators classification of waste in accordance with waste analysis plan.			25 Pa Code 265.13(c)
	2			Containers marked to identify contents and accumulation date.			50(a)(2)
	2			Notification sent with shipments of wastes that do not meet treatment standards.			7(a)(1)
	2			Notification and certification sent with shipments of wastes meeting treatment standards.			7(a)(2)
	2			Facility maintains records of documents produced pursuant to LDR requirements.			7(a)(6)
				<b>Treatment Facilities, including PBR and RRR Facilities</b>			
	2			Dilution not used as a substitute for treatment.			3
	2			Facility tests wastes or treatment residues to determine compliance with applicable treatment standards in accordance with waste analysis plan.			7(b)
	2			Certification and/or notification sent with shipments of waste.			7(b)(4), (b)(5), (b)(6)
				<b>Land Disposal Facilities</b>			
	2			Facility tests wastes received to assure compliance with applicable treatment standards.			7(c)(2)
	2			Facility land disposes of restricted waste only if it meets applicable treatment standard.			40
	2			Facility retains copies of generator notifications and certifications.			7(c)(1)

6 of 7

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 12/7/99 Identification Number PAD 069602910Company/Facility/Site Name PANEL PRINTS INC.INSPECTED FACILITY WITH MICHELLE WRINSTOCK AND  
RICK TITUS OF PANEL PRINTS, REVIEWED MANIFESTS  
FOR 1997-1999. AND DISCUSSED DRUM LABEL REQUIREMENTS  
AND EMERGENCY PROCEDURES. INSPECTED DRUM STORAGE AREA.THIS COMPANY PRINTS A VARIETY OF PRODUCTS TO  
BE SHIPPED OFF SITE FOR OTHER MANUFACTURERS.

## COMMENTS:

1) DOCUMENT THE WEEKLY INSPECTIONS OF THE HAZ  
WASTE STORAGE AREA AS PER 25 PA CODE 265(c)(1)  
AND CFR 265.174.2) THE COMPANY MAY RE-NOTIFY AS A CONDITIONALLY  
EXEMPT SMALL QUANTITY GENERATOR, I WILL  
PROVIDE THE EPA NOTIFICATION FORM.

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature)

Date

Inspector (signature)

Date





COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES  
BUREAU OF WASTE MANAGEMENT

# INSPECTION REPORT - HAZARDOUS WASTE SMALL QUANTITY GENERATOR

Site I.D. PA069602910  
Site Name PANEL PRINTS INC  
Address 1001 MOOSIC ROAD  
MOOSIC PA PA 18507  
Municipality MOOSIC BOROUGH  
Responsible Official BOB JONES  
Person Interviewed RON GREENWALD  
Inspector CHUCK ROGERS

Telephone # (717) 457-8334  
Operator Name SAMIR  
Address SAMIR  
County LACKAWANNA  
Title VP of MANUFACTURING  
Title FACILITIES MANAGER  
Time 3<sup>00</sup>pm

Due Date \_\_\_\_\_ Inspection Date 9/26/96 Inspection Type 01 Facility Type \_\_\_\_\_ Inspector ID 2228 # Violation 0

Are hazardous wastes transported off-site by this generator? Yes ☒ No

If not, license number(s) and expiration dates of transporter(s): \_\_\_\_\_

1-No Violation Observed 2-Not-Applicable 3-Not-Determined 4-Non-Compliance

STATUS				REQUIREMENT	CHAPTER CITATION	LINE NUMBERS
1	2	3	4			
<u>1</u>				Amount of wastes generated per month is within small quantity generator limits. Average waste generated monthly <u>2300 LBS</u>	261.5(a)	H491
<u>1</u>				Amount of waste accumulated is within small quantity generator limits	261.5(d)	H492
<u>1</u>				Hazardous waste determination (262.11)	261.5(g)(1)	H493
<u>1</u>				Records of quantities, descriptions and dispositions of all wastes retained for five years and furnished to the Department upon request	262.11(d)	H494
<u>1</u>				Storage within time limit specified (261.5(d))	261.5(g)(2)	H495
<u>1</u>				Manifest system used for off-site transport	262.20(a)	H496

261.5 Indicate below the method of handling of the waste:

- a. Treatment or disposal at permitted on-site facility.  
Permit Number \_\_\_\_\_ Treatment \_\_\_\_\_ Disposal \_\_\_\_\_
- b. Delivered to a PA haz. waste facility Name of facility: \_\_\_\_\_
- c. Delivered to a PA municipal or residual facility with Form S approval. Name of facility: \_\_\_\_\_
- d. Delivered to an approved out-of-state facility. Name of facility: \_\_\_\_\_
- X e. Delivered to a reclamation, reuse, or recycle facility. Name of facility: SAFETY KLEIN, HANOVER, LINDEN NJ

## Hazardous Waste Inspection Report Land Disposal Restriction Supplemental Checklist

1-No Violation Observed				2-Not Applicable	3-Not Determined	4-Non-Compliance
Status				REQUIREMENT	Citation	
1	2	3	4		40 CFR Part 268	
				<b>Generators</b>		
	1			Notification sent with shipments of wastes that do not meet treatment standards.		7(a)(1)
	1			Notification and certification sent with shipments of wastes meeting treatment standards.		7(a)(2)
	1			Dilution not used as a substitute for treatment.		3
	1			Records maintained of notifications, certifications, waste analysis, and documentation supporting use of knowledge for waste classification.		7(a)(5), (a)(6)
				<b>Storage Facilities</b>		
	2			Facility verifies generators classification of waste in accordance with waste analysis plan.		25 Pa Code 265.13(c)
	2			Containers marked to identify contents and accumulation date.		50(a)(2)
	2			Notification sent with shipments of wastes that do not meet treatment standards.		7(a)(1)
	2			Notification and certification sent with shipments of wastes meeting treatment standards.		7(a)(2)
	2			Facility maintains records of documents produced pursuant to LDR requirements.		7(a)(6)
				<b>Treatment Facilities, including PBR and RRR Facilities</b>		
	2			Dilution not used as a substitute for treatment.		3
	2			Facility tests wastes or treatment residues to determine compliance with applicable treatment standards in accordance with waste analysis plan.		7(b)
	2			Certification and/or notification sent with shipments of waste.		7(b)(4), (b)(5), (b)(6)
				<b>Land Disposal Facilities</b>		
	2			Facility tests wastes received to assure compliance with applicable treatment standards.		7(c)(2)
	2			Facility land disposes of restricted waste only if it meets applicable treatment standard.		40
	2			Facility retains copies of generator notifications and certifications.		7(c)(1)

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES  
BUREAU OF WASTE MANAGEMENT

INSPECTION REPORT COMMENTS

Date of Inspection 9/26/96 Identification Number PA0669602910  
Company/Facility/Name PA0669602910

INSPECTED FACILITY WITH BOB GARDNER OF PAUL PRITS.  
REVIEWS MANIFESTS AND INSPECTED THE RESIDUAL WASTE  
STORAGE AREA. INSPECTED SOLVENT CONTAMINATED RAG HANDLING  
AND STORAGE PRACTICES AND FOUND NO PROBLEMS OR VIOLATIONS.

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records. This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein. Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) [Signature] Date 9/26/96  
Inspector (signature) [Signature] Date 9/26/96





COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES  
BUREAU OF WASTE MANAGEMENT

GEN → SQ

INSPECTION REPORT - HAZARDOUS WASTE  
SMALL QUANTITY GENERATOR

Site ID. PAD069602910  
 Name PANEL PRINTS INC  
 Address 1001 MOOSIC ROAD  
OLD FORD PA 18518  
 Municipality OLD FORD BOROUGH  
 Responsible Official \_\_\_\_\_  
 Person Interviewed RON GREENWALD  
 Inspector CHUCK ROGERS

Telephone # (717) 457-0334  
 Operator Name SAMR  
 Address \_\_\_\_\_  
 County LOCKAWANA  
 Title \_\_\_\_\_  
 Title FACILITY MANAGER  
 Time 9<sup>00</sup> AM

Due Date \_\_\_\_\_ Inspection Date 2-9-95 Inspection Type 01 Facility Type 07 Inspector ID 2228 # Violation 0

Are hazardous wastes transported off-site by this generator? Yes ☒ No

Not, license number(s) and expiration dates of transporter(s): \_\_\_\_\_

1-No Violation Observed 2-Not-Applicable 3-Not-Determined 4-Non-Compliance

STATUS				REQUIREMENT	CHAPTER CITATION	LINE NUMBERS
1	2	3	4			
/				Amount of wastes generated per month is within small quantity generator limits. Average waste generated monthly <u>250<sup>lbs</sup></u>	261.5(a)	H491
/				Amount of waste accumulated is within small quantity generator limits	261.5(d)	H492
/				Hazardous waste determination (262.11)	261.5(g)(1)	H493
/				Records of quantities, descriptions and dispositions of all wastes retained for five years and furnished to the Department upon request	262.11(d)	H494
/				Storage within time limit specified (261.5(d))	261.5(g)(2)	H495
/				Manifest system used for off-site transport	262.20(a)	H496

61.5 Indicate below the method of handling of the waste:

- ☐ a. Treatment or disposal at permitted on-site facility.  
 Permit Number \_\_\_\_\_ Treatment \_\_\_\_\_ Disposal \_\_\_\_\_
- ☐ b. Delivered to a PA haz. waste facility. Name of facility: \_\_\_\_\_
- ☐ c. Delivered to a PA municipal or residual facility with Form S approval. Name of facility: \_\_\_\_\_
- ☒ d. Delivered to an approved out-of-state facility. Name of facility: FISHER INDUSTRIAL SERVICE, INC GADSDEN, AL
- ☐ e. Delivered to a reclamation, reuse, or recycle facility. Name of facility: \_\_\_\_\_

# Hazardous Waste Inspection Report Land Disposal Restriction Supplemental Checklist

1-No Violation Observed				2-Not Applicable	3-Not Determined	4-Non-Compliance
Status				REQUIREMENT	Citation	
1	2	3	4		40 CFR Part 268	
				<b>Generators</b>		
				Notification sent with shipments of wastes that do not meet treatment standards.	7(a)(1)	
				Notification and certification sent with shipments of wastes meeting treatment standards.	7(a)(2)	
				Dilution not used as a substitute for treatment.	3	
				Records maintained of notifications, certifications, waste analysis, and documentation supporting use of knowledge for waste classification.	7(a)(5), (a)(6)	
				<b>Storage Facilities</b>		
	2			Facility verifies generators classification of waste in accordance with waste analysis plan.	25 Pa Code 265.13(c)	
	2			Containers marked to identify contents and accumulation date.	50(a)(2)	
	2			Notification sent with shipments of wastes that do not meet treatment standards.	7(a)(1)	
	2			Notification and certification sent with shipments of wastes meeting treatment standards.	7(a)(2)	
	2			Facility maintains records of documents produced pursuant to LDR requirements.	7(a)(6)	
				<b>Treatment Facilities, including PBR and RRR Facilities</b>		
	2			Dilution not used as a substitute for treatment.	3	
	2			Facility tests wastes or treatment residues to determine compliance with applicable treatment standards in accordance with waste analysis plan.	7(b)	
	2			Certification and/or notification sent with shipments of waste.	7(b)(4), (b)(5), (b)(6)	
				<b>Land Disposal Facilities</b>		
	2			Facility tests wastes received to assure compliance with applicable treatment standards.	7(c)(2)	
	2			Facility land disposes of restricted waste only if it meets applicable treatment standard.	40	
	2			Facility retains copies of generator notifications and certifications.	7(c)(1)	



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES  
BUREAU OF WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 2-9-95 Identification Number PAID 069602910Company/Facility/Site Name PANAL PRINTS INCINSPECTED FACILITY WITH RON GREENWALD OF PANAL PRINTS.THIS FACILITY IS A SMALL QUANTITY GENERATOR OF HAZWASTE AND USES A RECLAMATION UNIT TO RECLAIM SOLVENT.TWO 55-GAL DRUMS OF ~~FAIR~~ STILL BOTTOMS IN STORAGE.THIS FACILITY USES NON-HAZARDOUS PRINTING INKS AND ISINCINERATED AS A FUEL SUBSTITUTE OUT OF STATE.THE ANNUAL TSDR FACILITY HAZARDOUS WASTE REPORT (55 ANN AND55 CAN) PERTAINING TO THE RECLAMATION UNIT NEEDS TO BECOMPLETED AND MAILED TO PADDEC, HARRISBURG.

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) [Signature] Date 2/9/95Inspector (signature) [Signature] Date 2-9-95





U.S. ENVIRONMENTAL PROTECTION AGENCY  
NOTIFICATION OF HAZARDOUS WASTE ACTIVITY

INSTALLATION'S EPA I.D. NO.

I. NAME OF INSTALLATION

II. INSTALLATION MAILING ADDRESS

III. LOCATION OF INSTALLATION

NAME: PRESS HARD WHEN FILLING IN NAME &amp; ADDRESS.

PANEL PRINTS INC

STREET ADDRESS:

1001 HOOSIC ROAD

CITY, STATE, &amp; ZIP CODE:

OLD FORGE, PENNA. 18518

INSTRUCTIONS: If you received a preprinted label, affix it in the space at left. If any of the information on the label is incorrect, draw a line through it and supply the correct information in the appropriate section below. If the label is complete and correct, leave Items I, II, and III below blank. If you did not receive a preprinted label, complete all items. "Installation" means a single site where hazardous waste is generated, treated, stored and/or disposed of, or a transporter's principal place of business. Please refer to the INSTRUCTIONS FOR FILING NOTIFICATION before completing this form. The information requested herein is required by law (Section 3010 of the Resource Conservation and Recovery Act).

## FOR OFFICIAL USE ONLY

## COMMENTS

INSTALLATION'S EPA I.D. NUMBER

APPROVED

DATE RECEIVED (yr., mo., &amp; day)

FPAD069602910 1 860326

## I. NAME OF INSTALLATION

PANEL PRINTS INC

## II. INSTALLATION MAILING ADDRESS

STREET OR P.O. BOX

3 1001 HOOSIC ROAD

CITY OR TOWN

4 OLD FORGE PENNA.

ST.

ZIP CODE

## III. LOCATION OF INSTALLATION

STREET OR ROUTE NUMBER

5 1001 HOOSIC ROAD

CITY OR TOWN

6 OLD FORGE PENNA.

ST.

ZIP CODE

PA 18518

## IV. INSTALLATION CONTACT

NAME AND TITLE (last, first, &amp; job title)

2 TITUS WILLIAM DIR HFG SERVICES

PHONE NO. (area code &amp; no.)

717-457-8334

## V. OWNERSHIP

A. NAME OF INSTALLATION'S LEGAL OWNER

8 FRANK HUBBARD

B. TYPE OF OWNERSHIP (enter the appropriate letter into box)

F = FEDERAL  
M = NON-FEDERAL

M

## VI. TYPE OF HAZARDOUS WASTE ACTIVITY (enter "X" in the appropriate box(es))

☒ A. GENERATION☐ B. TRANSPORTATION (complete item VII)☐ C. TREAT/STORE/DISPOSE☐ D. UNDERGROUND INJECTION

## VII. MODE OF TRANSPORTATION (transporters only - enter "X" in the appropriate box(es))

☐ A. AIR☐ B. RAIL☐ C. HIGHWAY☐ D. WATER☐ E. OTHER (specify):

## VIII. FIRST OR SUBSEQUENT NOTIFICATION

Mark "X" in the appropriate box to indicate whether this is your installation's first notification of hazardous waste activity or a subsequent notification. If this is not your first notification, enter your installation's EPA I.D. Number in the space provided below.

C. INSTALLATION'S EPA I.D. NO.

☒ A. FIRST NOTIFICATION☐ B. SUBSEQUENT NOTIFICATION (complete item C)

## IX. DESCRIPTION OF HAZARDOUS WASTES

Please go to the reverse of this form and provide the requested information.

I.D. - FOR OFFICIAL USE ONLY														
9														
W														
1	2											13	14	15

# IX. DESCRIPTION OF HAZARDOUS WASTES (continued from front)

**A. HAZARDOUS WASTES FROM NON-SPECIFIC SOURCES.** Enter the four-digit number from 40 CFR Part 261.31 for each listed hazardous waste from non-specific sources your installation handles. Use additional sheets if necessary.

1 0001	2	3	4	5	6
23	23	23	23	23	23
26	26	26	26	26	26
7	8	9	10	11	12
23	23	23	23	23	23
26	26	26	26	26	26

**B. HAZARDOUS WASTES FROM SPECIFIC SOURCES.** Enter the four-digit number from 40 CFR Part 261.32 for each listed hazardous waste from specific industrial sources your installation handles. Use additional sheets if necessary.

13	14	15	16	17	18
23	23	23	23	23	23
26	26	26	26	26	26
19	20	21	22	23	24
23	23	23	23	23	23
26	26	26	26	26	26
25	26	27	28	29	30
23	23	23	23	23	23
26	26	26	26	26	26

**C. COMMERCIAL CHEMICAL PRODUCT HAZARDOUS WASTES.** Enter the four-digit number from 40 CFR Part 261.33 for each chemical substance your installation handles which may be a hazardous waste. Use additional sheets if necessary.

31	32	33	34	35	36
23	23	23	23	23	23
26	26	26	26	26	26
37	38	39	40	41	42
23	23	23	23	23	23
26	26	26	26	26	26
43	44	45	46	47	48
23	23	23	23	23	23
26	26	26	26	26	26

**D. LISTED INFECTIOUS WASTES.** Enter the four-digit number from 40 CFR Part 261.34 for each listed hazardous waste from hospitals, veterinary hospitals, medical and research laboratories your installation handles. Use additional sheets if necessary.

49	50	51	52	53	54
23	23	23	23	23	23
26	26	26	26	26	26

**E. CHARACTERISTICS OF NON-LISTED HAZARDOUS WASTES.** Mark "X" in the boxes corresponding to the characteristics of non-listed hazardous wastes your installation handles. (See 40 CFR Parts 261.21 - 261.24.)

☒ 1. IGNITABLE  
(D001)

☐ 2. CORROSIVE  
(D002)

☐ 3. REACTIVE  
(D003)

☐ 4. TOXIC  
(D000)

## X. CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SIGNATURE	NAME & OFFICIAL TITLE (type or print)	DATE SIGNED
William N. Titus	WILLIAM N. TITUS DIR MFG SERVICES	3/18/86

**Hazardous Waste Inspection Report  
Generators - Part A**

Date of inspection 6-13-89 Time start 800 Time finish 1200  
 Name of inspector F.J. KARL  
 Company, installation name PANEL PRINTS INC  
 Location 1001 MOOSIC RD, OLD FORGE, PA 18518  
 County LACKAWANNA Municipality OLD FORGE BOROUGH  
 Identification number PAD 069 602 910  
 Name of responsible official MR FRANK HUBBARD  
 Title PRES.  
 Mailing address 1001 MOOSIC RD, OLD FORGE, PA 18518  
 Area code and telephone number 717-457-8334  
 Name of person interviewed JOE CONDON  
 Title PLANT ENG. & ENV. OFFICER  
 Mailing address (if different from above) SAME  
 Area code and telephone number SAME

**1. Current waste handling method:**

- a. ☒ On-site ☐ treatment, ☒ storage, ☐ disposal, ☐ PBR  
 b. ☒ On-site ☐ use, ☒ reuse, ☐ recycle, ☒ reclaim  
 c. ☒ Off-site ☐ treatment, ☐ storage, ☒ disposal  
 d. ☐ Off-site ☐ use, ☐ reuse, ☐ recycle, ☐ reclaim

**2. Amount of hazardous waste produced:**

- a. 1120 kg./mo.  
 b. 13440 kg./yr.

**3. Types of hazardous waste produced by Hazardous Waste Number and destination facility (include location and type).**

Waste Number	Destination Facility	Location and Type
D001 UN1993	SOLVENT RECOVERY SERVICE	HINDEN, NJ 07036
MINERAL SPIRITS		
ISOPROPYLALCOHOL		

**Hazardous Waste Inspection Report**  
**Generators — Part B**

PAID 069 602 910  
PAVEL PRINTS INC  
6-13-89

[illegible]

Hazardous Waste Inspection Report  
Comments - Part C

Date of Inspection 6-13-89 Identification Number PAD 069 602 910  
Company, Installation Name PANEL PRINTS INC  
County HACKAWAYNA Municipality OLD FORGE BOROUGH

NOTIFICATION as a RRR is needed because a solvent recovery unit has been installed and is in operation.

*This inspection report is official notification that a representative of the Department of Environmental Resources, Bureau of Waste Management, inspected the above installation. The findings of this inspection are shown in this report. Any violations which were uncovered during the inspection are indicated. Violations may also be discovered upon examination of the results of laboratory analyses and review of Department records. Notification will be forthcoming, confirming any violations indicated herein and listing any additional violations.*

Person Interviewed (signature)

Joe Perdon

Date

Inspector (signature)

W. E. Kane

Date

6-13-89



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 8th & Walnut Sts:

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection / *Panel Prints Inc.*  
*PAD 069 662 910*

DATE: *1/20/87*

FROM: Patrick M. McManus *P.M.*  
Environmental Engineer (3HW11)

TO: File

Thru: Peter W. Schaul, *P.S.* Chief  
RCRA Enforcement Section (3HW11)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY  
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS  
REQUIRED AT THIS TIME.

HAZARDOUS WASTE INSPECTION REPORT  
Generators - Part A

Date of inspection 12/23/86 Time start 11:15 Time finish \_\_\_\_\_  
Name of inspector LAWRENCE M. SATTLER  
Company, installation name PANEL PRINTS INC  
Location 1001 MOOSIC ROAD  
County LACKAWANNA Municipality OLD FORGE  
Identification number PAD069662910  
Name of responsible official MR FRANK HUBBARD  
Title PRESIDENT  
Mailing address 1001 MOOSIC RD OLD FORGE PA 18518  
Area code and phone no. 717-457-8334  
Name of person interviewed MR. WILLIAM TITUS  
Title DIRECTOR OF MFG SERVICES  
Mailing address (if different from above) \_\_\_\_\_  
Area code and phone no. \_\_\_\_\_

1. Current waste handling method: SMALL QUANTITY GENERATOR

- a. ☒ On-site ☐ treatment, ☒ storage, ☐ disposal  
b. ☐ On-site ☐ use, ☐ reuse, ☐ recycle, ☐ reclaim  
c. ☒ Off-site ☐ treatment, ☐ storage, ☐ disposal  
d. ☒ Off-site ☒ use, ☐ reuse, ☐ recycle, ☐ reclaim

2. Amount of hazardous waste produced:

- a. 200 kg./mo.  
b. \_\_\_\_\_ kg./yr.

3. Types of hazardous waste produced by Hazardous Waste Number:

D001

4. Are hazardous wastes transported off-site by the generator? ☐ Yes ☒ No

ERA



HAZARDOUS WASTE INSPECTION REPORT  
Generators - Part B

1- NON-COMPLIANCE, 2- COMPLIANCE, 3- NOT APPLICABLE, 4- NOT DETERMINED					
COMPLIANCE STATUS				REQUIREMENT	CHAPTER CITATION
1	2	3	4		
					75.262
	2			Identification number	(c) (1)
	2			Hazardous waste shipments offered only to licensed transporters	(c) (4)
	2			Authorization received from TSD facility for wastes shipped off-site	(d)
		3		PA manifest used for intrastate shipments	(e) (1) (i)
	2			Disposer state manifest or EPA format manifest used for out-of-state shipments	(e) (1) (ii)
	2			Manifests filled out properly and completely	(e) (1)
	2			Manifests routed properly and within time limits (24 hours)	(e) (2)
	2			Proper U.S. DOT shipping containers or packages	(f) (1) (i)
			4	Shipping containers marked and labeled according to U.S. DOT	(f) (1) (ii)
				Containers of 110 gal. or less marked with required PA label	(f) (1) (iii)
			4	Placards offered to transporter	(f) (2)
		3		Wastes accumulated on-site for less than 90 days	(g) (1)
				Wastes stored in proper containers and properly marked and labeled	(g) (1) (i)
		3		Containers managed in accordance with 75.265(g)	(g) (1) (ii)
				Containers clearly marked with accumulation date and visible for inspection	(g) (1) (iv)
	2			Records retained at designated location for 20 years	(h)
		2		Quarterly reports submitted to the Department	(i)
		3		Exception reporting procedures followed	(j)
		3		Hazardous waste disposal plan, if required	(l)
		3		Spill reporting procedures followed	(m) (1)
		3		Preparedness, Prevention and Contingency Plan approved and implemented	(m) (5)
		3		Special requirements followed for international shipments	(o)

HAZARDOUS WASTE INSPECTION REPORT  
Part C - Comments

Date of Inspection 12/23/86 Identification Number PAD069662910  
Company, Installation Name PANEL PRINTS INC  
County LACKAWANNA Municipality C/O FORGE

In the "Requirement" Section of this inspection report, each listed inspection item may provide only a brief version of its corresponding obligation as described in the body of the regulations. Please use the Chapter citations listed on this inspection report as a reference to obtain a detailed description of compliance requirements.

*A shipment of 11 drums of waste was sent to Solvent Recovery on 12/12/86.*

*Several drums of waste were on-site but this waste has to be tested to determine if the waste is hazardous.*

*Discuss labeling and separation of waste types with Mr. Condon.*

Inspection report is official notification that a representative of the Department of Environmental Resources, Bureau of Solid Waste Management, inspected the above installation. Findings of this inspection are shown in this report. Any violations which were uncovered during the inspection are indicated. Violations may also be discovered upon examination of results of laboratory analyses and review of Department records. Notification will be forthcoming, confirming any violations indicated herein and listing any additional violations.

Person Interviewed (signature) William N. Titus Date 12/23/86  
Inspector (signature) Lawrence M. Savelle Date 12/23/86